

MINERVA PASSENGER / PASSAGER

SIZE	LI	SPEED	LR	SD	SW	OD	RIM	UTQG
<b>109</b>								
185/70R13	86T	T	4PR	x	189	590	5.5J	440 A A
165/70R14	81T	T	4PR	x	170	588	5J	440 A A
165/70R14 XL	85T	T	4PR	x	170	588	5J	440 A A
175/70R14	84T	T	4PR	x	177	602	5J	440 A A
175/70R14 XL	88T	T	4PR	x	177	602	5J	440 A A
175/70R14 C	95T	T	4PR	x	177	602	5J	440 A A
185/70R14	88T	T	4PR	x	189	616	5.5J	440 A A
195/70R14	91T	T	4PR	x	201	630	6J	440 A A
205/70R14	95T	T	4PR	x	209	644	6J	440 A A
205/70R15	96T	T	4PR	x	209	669	6J	440 A A
155/65R13	73T	T	4PR	x	157	532	4.5B	440 A A
165/65R13	77T	T	4PR	x	170	544	5B	440 A A
175/65R13	80T	T	4PR	x	177	558	5B	440 A A
155/65R14	75T	T	4PR	x	157	558	4.5J	440 A A
165/65R14	79T	T	4PR	x	170	570	5J	440 A A
175/65R14	82T	T	4PR	x	177	584	5J	440 A A
175/65R14 XL	86T	T	4PR	x	177	584	5J	440 A A
175/65R14	82H	H	4PR	x	177	584	5J	440 A A
175/65R14 C	90T	T	4PR	x	177	584	5J	440 A A
175/65R15	84H	H	4PR	x	177	609	5J	440 A A
165/60R14	75H	H	4PR	x	170	554	5J	440 A A
165/55R13	70H	H	4PR	x	170	512	5J	440 A A

SIZE	LI	SPEED	LR	SD	SW	OD	RIM	UTQG
<b>F109</b>								
185/65R14	86T	T	4PR	x	189	596	5.5J	440 A A
185/65R14	86H	H	4PR	x	189	596	5.5J	440 A A
195/65R14	89H	H	4PR	x	201	610	6J	440 A A
185/65R15	88T	T	4PR	x	189	621	5.5J	440 A A
185/65R15	88H	H	4PR	x	189	621	5.5J	440 A A
195/65R15 XL	95T	T	4PR	x	201	635	6J	440 A A
195/65R15	91H	H	4PR	x	201	635	6J	440 A A
195/65R15	91V	V	4PR	x	201	635	6J	440 A A
205/65R15	94H	H	4PR	x	209	647	6J	440 A A
205/65R15	94V	V	4PR	x	209	647	6J	440 A A
215/65R15	96H	H	4PR	x	221	661	6.5J	440 A A
215/65R16	98H	H	4PR	x	221	686	6.5J	440 A A
175/60R14	79H	H	4PR	x	177	566	5J	440 A A
185/60R14	82H	H	4PR	x	189	578	5.5J	440 A A
195/60R14	86H	H	4PR	x	201	590	6J	440 A A
175/60R15	81V	V	4PR	x	177	591	5J	440 A A
185/60R15	84H	H	4PR	x	189	603	5.5J	440 A A
185/60R15 XL	88H	H	4PR	x	189	603	5.5J	440 A A
195/60R15	88H	H	4PR	x	201	615	6J	440 A A
195/60R15	88V	V	4PR	x	201	615	6J	440 A A
205/60R15	91H	H	4PR	x	209	627	6J	440 A A
205/60R15	91V	V	4PR	x	209	627	6J	440 A A
205/60R16	92H	H	4PR	x	209	652	6J	440 A A
205/60R16	92V	V	4PR	x	209	652	6J	440 A A
215/60R16	95H	H	4PR	x	221	664	6.5J	440 A A
215/60R16	95V	V	4PR	x	221	664	6.5J	440 A A
225/60R16	98H	H	4PR	x	228	676	6.5J	440 A A
225/60R16	98V	V	4PR	x	228	676	6.5J	440 A A
225/60R16 XL	102V	V	4PR	x	228	676	6.5J	440 A A
185/55R14	80H	H	4PR	x	194	560	6J	440 A A
185/55R15	82H	H	4PR	x	194	585	6J	440 A A
185/55R15	82V	V	4PR	x	194	585	6J	440 A A
195/55R15	85H	H	4PR	x	201	595	6J	440 A A
195/55R15	85V	V	4PR	x	201	595	6J	440 A A
195/55R16	87H	H	4PR	x	201	620	6J	440 A A
195/55R16	87V	V	4PR	x	201	620	6J	440 A A
205/55R16	91H	H	4PR	x	214	632	6.5J	440 A A
205/55R16	91V	V	4PR	x	214	632	6.5J	440 A A
185/50R14	77V	V	4PR	x	194	542	6J	440 A A
195/50R15	82H	H	4PR	x	201	577	6J	440 A A
195/50R15	82V	V	4PR	x	201	577	6J	440 A A
195/50R16	84H	H	4PR	x	201	602	6J	440 A A
195/50R16	84V	V	4PR	x	201	602	6J	440 A A

SIZE	LI	SPEED	LR	SD	SW	OD	RIM	UTQG
<b>209</b>								
145/70R12	69	T	4PR	7.2	150	509	4.5B	400 A A
155/65R14	75	T	4PR	7.2	157	558	4.5B	400 A A
165/70R13	79	T	4PR	7.2	170	562	5B	400 A A
175/65R14	82	T	4PR	7.5	177	584	5J	400 A A
175/65R14	82	H	4PR	7.5	177	584	5J	400 A A
175/65R14XL	86	T	4PR	7.5	177	584	5J	400 A A
175/65R15	84	H	4PR	7.5	177	609	5J	400 A A
185/55R15	82	H	4PR	7.5	194	585	6J	400 A A
185/55R15	82	V	4PR	7.5	194	585	6J	400 A A
185/55R15XL	86	V	4PR	7.5	194	585	6J	400 A A
185/60R14	82	H	4PR	7.5	189	578	5.5J	400 A A
185/60R15	84	H	4PR	7.5	189	603	5.5J	400 A A
185/60R15XL	88	H	4PR	7.5	189	603	5.5J	400 A A
185/65R14	86	T	4PR	7.5	189	596	5.5J	400 A A
185/65R14	86	H	4PR	7.5	189	596	5.5J	400 A A
185/65R15	88	T	4PR	7.5	189	621	5.5J	400 A A
185/65R15	88	H	4PR	7.5	189	621	5.5J	400 A A
185/65R15XL	92	T	4PR	7.5	189	621	5.5J	400 A A
185/70R14	88	T	4PR	7.5	189	616	5.5J	400 A A
185/70R14	88	H	4PR	7.5	189	616	5.5J	400 A A
195/60R15	88	H	4PR	7.5	201	615	6J	400 A A
195/60R15	88	V	4PR	7.5	201	615	6J	400 A A
195/65R15	91	H	4PR	7.5	201	635	6J	400 A A
195/65R15	91	V	4PR	7.5	201	635	6J	400 A A
195/65R15XL	95	T	4PR	7.5	201	635	6J	400 A A
SIZE	LI	SPEED	LR	SD	SW	OD	RIM	UTQG
<b>F209</b>								
195/50R15	82	H	4PR	7.7	201	577	6J	400 A A
195/50R15	82	V	4PR	7.7	201	577	6J	400 A A
195/55R15	85	H	4PR	7.8	201	595	6J	400 A A
195/55R15	85	V	4PR	7.8	201	595	6J	400 A A
195/55R16	87	H	4PR	7.8	201	620	6J	400 A A
195/55R16	87	V	4PR	7.8	201	620	6J	400 A A
195/55R16XL	91	V	4PR	7.8	201	620	6J	400 A A
205/55R16	91	H	4PR	7.8	214	632	6.5J	400 A A
205/55R16	91	V	4PR	7.8	214	632	6.5J	400 A A
205/55R16XL	94	V	4PR	7.8	214	632	6.5J	400 A A
205/55R16	91	W	4PR	7.8	214	632	6.5J	400 A A
205/60R16	92	H	4PR	7.8	209	652	6J	400 A A
205/60R16	92	V	4PR	7.8	209	652	6J	400 A A
205/60R16XL	96	V	4PR	7.8	209	652	6J	400 A A
205/65R15	94	H	4PR	7.8	209	647	6J	400 A A
205/65R15	94	V	4PR	7.8	209	647	6J	400 A A
215/55R16XL	97	V	4PR	7.8	226	642	7J	400 A A
215/55R16XL	97	W	4PR	7.8	226	642	7J	400 A A
215/60R16	95	H	4PR	7.8	221	664	6.5J	400 A A
215/60R16	95	V	4PR	7.8	221	664	6.5J	400 A A
215/60R16XL	99	V	4PR	7.8	221	664	6.5J	400 A A
215/65R16	98	H	4PR	7.8	221	686	6.5J	400 A A
225/55R16XL	99	V	4PR	7.8	233	654	7J	400 A A
225/55R16XL	99	W	4PR	7.8	233	654	7J	400 A A

SIZE	LI	SPEED	LR	SD	SW	OD	RIM	UTQG
<b>RF108 RUNFLAT</b>								
195/55R16	87V	V	4PR	x	201	620	6J	x
205/55R16	91V	V	4PR	x	214	632	6.5J	x
205/50R17	89W	W	4PR	x	214	638	6.5J	x
225/50R17	94W	W	4PR	x	233	658	7J	x
205/45R17	84V	V	4PR	x	206	616	7J	x
225/45R17	91W	W	4PR	x	225	634	7.5J	x